ELSEVIER

Journal of Magnetism and Magnetic Materials 131 (1994) 449–452

journal of magnetism and magnetic materials

Author index to volume 131 (1994)

Abd-El Aal, M.M., Magnetic behaviour of $Y_2Fe_{14-x}T_xB$ compounds, where T = Al, Ti, V, Cr, Mn, Co or Ni 148
Aguilera-Granja, F., see J.L. Morán-López 417
Alba, M., see J.H.P. Colpa 167
Alenov, M.N., see V.E. Taranichev 229
Algarabel, P.A., see A. del Moral 247
Amara, M., R.M. Galéra, P. Morin, J. Voiron, P. Burlet, Magnetic phase diagram in $NdIn_3$ antiferromagnet 402
Anagnostou, M., E. Devlin, V. Psycharis, A. Kostikas, D. Niarchos, Stability range, structure and magnetic properties of $YFe_{12-x}Mo_x$ ($0.5 \leqslant x \leqslant 2.0$) alloys 157
Aroca, C., see C. Morón 356
Atkinson, D., M.R.J. Gibbs, P.T. Squire, Q. Pankhurst, The magnetic and magnetoelastic properties of surface crystallized iron-based amorphous wire 19

Bajorek, A., P. Nordblad, V. Spasojevic, D. Rodic, V. Kusigerski, On exchange mechanism in $Hg_{1-x}Mn_xS$ 363
Bąk, Z. and W. Gruhn, Range function of the RKKY interaction in a layered electron gas structure: asymptotic $\rho \to 0$ limit 210
Bansmann, J., see M. Getzlaff 304
Bara, J.J., B.F. Bogacz, B. Idzikowski, A.T. Pędziwiatr, A. Wrzeciono, Investigation of $Y_xFe_{80-x}B_{20}$ and $Pr_xFe_{80-x}B_{20}$ amorphous alloys 333
Barandiarán, J.M., see A. García-Arribas 129
Barnaś, J.,On the role of spin-dependent electron potentials in giant magnetoresistance in magnetic multilayers (*Letter to the Editor*) L14
Bartashevich, M.I., T. Goto, R.J. Radwanski, A.V. Korolyov, Magnetic anisotropy and high-field magnetization process of $CeCo_5$ 61
Basak, R. and I. Chatterjee, Structure factors of 1D *XY* model 99
Bass, S., see J.C. Woolley 199
Beauvillain, P., see S. Visnovsky 37
Benyoussef, A., A.E. Kenz, T. Kaneyoshi, Diluted mixed spin-1 and spin-$\frac{1}{2}$ on honeycomb lattice 173
Benyoussef, A., A. El Kenz, T. Kaneyoshi, Tricritical behaviour in diluted mixed spin-1 and spin-$\frac{1}{2}$ on square lattice 179
Bishop, J.E.L., see H. Lu 285
Blaise, A., see O. Isnard 83
Blaise, A., see K. Tomala 345
Blythe, H.J., see J. Castro 311
Bogacz, B.F., see J.J. Bara 333
Booth, J.G., see G.A. Jones 29
Burlet, P., see M. Amara 402

Cadogan, J.M. and S.A. Dann, Spin-reorientations and the susceptibility tensor (*Letter to the Editor*) L5
Carrizo, J., see M. Tejedor 329
Castro, J., J. Rivas, H.J. Blythe, On the annealing of magnetic relaxations in magnetite at high temperatures, I: A new look at the room-temperature relaxation 311
Chambers, A., see D.S. Schmool 385
Chatterjee, I., see R. Basak 99
Chuang, Y.C., see W. Liu 413
Coffey, W.T., P.J. Cregg, D.S.F. Crothers, J.T. Waldron, A.W. Wickstead, Simple approximate formulae for the magnetic relaxation time of single domain ferromagnetic particles with uniaxial anisotropy (*Letter to the Editor*) L301
Colpa, J.H.P., P.H. Frings, R.J. Radwański, J.J.M. Franse, M. Alba, Molecular field at the rare-earth sites in Nd_2Co_{17} 167
Conde, F., see R.P. del Real 183
Craus, M.L., see N. Rezlescu 273
Cregg, P.J., see Coffey, W.T. L301
Crothers, D.S.F., see Coffey, W.T. L301
Cywinski, R., see A. Heys 265

Dann, S.A., see J.M. Cadogan L5
De la Fuente, C., see A. del Moral 247
Del Moral, A., P.A. Algarabel, C. Marquina, C. de la Fuente, M.R. Ibarra, On the critical behaviour in spin reorientation phase transitions of $RFe_{10}V_2$ (R = Nd, Dy, Er) intermetallics 247
Del Real, R.P., C. Prados, F. Conde, A. Hernando, Magnetic anisotropy induced by nanocrystallization of a coated amorphous alloy 183
Deportes, J., see O. Isnard 76
Devlin, E., see M. Anagnostou 157
Di, G.Q., S. Iwata, S. Uchiyama, Composition dependences of Kerr rotations in MnBi and MnBiAl films 242

0304-8853/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Dimitriev, O.P. and V.Z. Lozovski, On the possibility of light transmittance through a polar ferromagnet in the reststrahlen band region (*Letter to the Editor*) L9
Donovan, P.E., see A. Heys 265
Driouch, L., see R. Krishnan L297
Duc, N.H.,Metamagnetism and quenching of spin fluctuation scattering in the Laves phase intermetallic compounds 224

El Kenz, A., see A. Benyoussef 179

Ferré, J., see S. Visnovsky 37
Filimonov, Yu.A., G.T. Kazakov, S.L. Visotsky, B.P. Nam, A.S. He, Evidence of the exchange coupling effect in the spin wave spectrum of a structure with two different magnetic layers 235
Fittipaldi, I.P., Effective field renormalization group approach for Ising lattice spin systems 43
Franse, J.J.M., see J.H.P. Colpa 167
Franse, J.J.M., see R. Krishnan L297
Frings, P.H., see J.H.P. Colpa 167
Fruchart, D., see O. Isnard 76
Fruchart, D., see O. Isnard 83

Galéra, R.M., see M. Amara 402
Gamari-Seale, H., see P.A. Kotsanidis 139
García, J.A., see M. Tejedor 329
García-Arribas, A., J.M. Barandiarán, J. Herreros, Evolution of the magnetic anisotropy distribution of Co–P amorphous alloys during crystallization 129
Genkin, G.M., M.V. Sapozhnikov, I.D. Tokman, Frequencies of ferromagnetic resonance of ferromagnet–antiferromagnet–ferromagnet (FM/AFM/FM) trilayers 369
Getzlaff, M., J. Bansmann, G. Schönhense, Magnetic interactions in different oxidation states of thin cobalt films 304
Gibbs, M.R.J., see D. Atkinson 19
Gil, A., J. Leciejewicz, K. Małetka, A. Szytuła, A. Zygmunt, Magnetic properties of $Tb_{1-x}Nd_xNiGe_2$ solid solution 217
Goto, T., see M.I. Bartashevich 61
Grolier, V., see S. Visnovsky 37
Gruhn, W., see Z. Bąk 210
Grundy, P.J., see H. Matsuda 440

Hasan, M.K., S.J. Park, J.S. Kouvel, Vortex flux creep and its hysteretic changes with magnetic field in a type-II superconductor (*Letter to the Editor*) L1
Hatakeyama, I., see Y. Ohtani 339
He, A.S., see Yu.A. Filimonov 235
Hernando, A., see R.P. del Real 183
Herreros, J., see A. García-Arribas 129
Heys, A., P.E. Donovan, A.K. Petford-Long, R. Cywinski, Giant magnetic moments in gadolinium/tungsten multilayers 265
Hirao, K., see K. Tanaka 120
Hoffmann, H., see J. Zhang 278
Hozumi, Y., see M. Takahashi 67

Ibarra, M.R., see A. del Moral 247
Idzikowski, B., see J.J. Bara 333
Isnard, O., S. Miraglia, D. Fruchart, J. Deportes, P. L'Heritier, Magnetic properties of fully nitrogenated $R_2Fe_{17}N_3$ (R = Ce, Nd, Pr) 76
Isnard, O., P. Vulliet, A. Blaise, J.P. Sanchez, S. Miraglia, D. Fruchart, ^{155}Gd Mössbauer spectroscopy study of the $Gd_2Fe_{17}H_x$ system 83
Iwata, S., see G.Q. Di 242

Jarlborg, T., see P. Lerch 321
Jechalik, Th. and D. Wagner, Spin fluctuations in antiferromagnetic phase transitions 107
Jones, G.A., M. Toy, J.G. Booth, C.E. Turner, Domain structure studies of the single crystal magnetic oxide $Ba_3Co_2Fe_{24}O_{41}$ (Co_2Z) 29

Kaneyoshi, T., see A. Benyoussef 173
Kaneyoshi, T., see A. Benyoussef 179
Kayzel, F.E., see R. Krishnan L297
Kazakov, G.T., see Yu.A. Filimonov 235
Kenz, A.E., see A. Benyoussef 173
Kmiec, R., see K. Tomala 345
Kolmakova, N.P., S.V. Koptsik, G.S. Krinchik, A.Ya. Sarantsev, Magnetic dichroism and anisotropy of exchange interaction in ytterbium iron garnet 253
Koptsik, S.V., see N.P. Kolmakova 253
Korolyov, A.V., see M.I. Bartashevich 61
Kostikas, A., see M. Anagnostou 157
Kotsanidis, P.A., J.K. Yakinthos, E. Ressouche, V.N. Nguyen, Transversal sine-modulated magnetic structure of DyNiGa 135
Kotsanidis, P.A., J.K. Yakinthos, E. Roudaut, H. Gamari-Seale, Magnetic properties of RPdGe ternary compounds 139
Kouvel, J.S., see M.K. Hasan L1
Krinchik, G.S., see N.P. Kolmakova 253
Krishnan, R., H. Lassri, L. Driouch, F.E. Kayzel, J.J.M. Franse, High magnetic field studies in amorphous $Fe_{72-x}Y_xHo_8B_{20}$ alloys (*Letter to the Editor*) L297
Kronmüller, H., see R. Reisser 90
Kusigerski, V., see A. Bajorek 363

L'Heritier, P., see O. Isnard 76
Lamarche, A.-M., see J.C. Woolley 199
Lamarche, G., see J.C. Woolley 199
Lassri, H., see R. Krishnan L297
Latkar, A.A., see A.K. Nikumbh 189
Leciejewicz, J., see A. Gil 217
Lerch, P. and T. Jarlborg, Magnetic and structural properties of MnSi 321

Li, C.-Z., J.C. Lodder, J.A. Szpunar, The influence of the textural development on magnetic properties in Co–Cr thin films 427
Liu, W., Q. Wang, X.K. Sun, X.-g. Zhao, T. Zhao, Z.-d. Zhang, Y.C. Chuang, Metastable Sm–Fe–N magnets prepared by mechanical alloying 413
Lodder, J.C., see C.-Z. Li 427
López, E., see C. Morón 356
Lozovski, V.Z., see O.P. Dimitriev L9
Lu, H., J.E.L. Bishop, J.W. Tucker, The micromagnetics of cubic particles with cubic anisotropy favouring body diagonal magnetization 285
Luo, H.-L., see J.-P. Wang 54

Malaman, B., see K. Tomala 345
Małetka, K., see A. Gil 217
Marquina, C., see A. del Moral 247
Matsuda, H., O. Takano, P.J. Grundy, Effect of dissolved oxygen on the magnetic properties of electrolessly deposited CoP films 440
Miraglia, S., see O. Isnard 76
Miraglia, S., see O. Isnard 83
Morán-López, J.L., R. Rodríguez-Alba, F. Aguilera-Granja, Modeling the magnetic properties of Heusler alloys 417
Morin, P., see M. Amara 402
Morón, C., C. Aroca, M.C. Sánchez, E. López, P. Sánchez, Domain structure of local current annealed amorphous ribbons 356

Nakahara, Y., see K. Tanaka 120
Nam, B.P., see Yu.A. Filimonov 235
Nemova, O.Yu., see V.E. Taranichev 229
Nguyen, V.N., see P.A. Kotsanidis 135
Niarchos, D., see M. Anagnostou 157
Nikumbh, A.K., M.M. Phadke, A.A. Latkar, Mössbauer spectroscopic and direct current electrical conductivity study of some iron (II) dicarboxylates 189
Ninomiya, H., see J. Zhang 278
Nordblad, P., see A. Bajorek 363
Nyvlt, M., see S. Visnovsky 37

Ohtani, Y. and I. Hatakeyama, Features of broad magnetic transition in FeRh thin film 339
Olofa, S.A., Oscillographic study of the dielectric polarization of Cu-doped NiZn ferrite 103
Ould-Mahfoud, S., see S. Visnovsky 37

Pankhurst, Q., see D. Atkinson 19
Park, S.J., see M.K. Hasan L1
Pasnicu, C., see N. Rezlescu 273
Pędziwiatr, A.T., see J.J. Bara 333
Petford-Long, A.K., see A. Heys 265
Phadke, M.M., see A.K. Nikumbh 189
Prados, C., see R.P. del Real 183
Prosser, V., see S. Visnovsky 37
Psycharis, V., see M. Anagnostou 157

Radwanski, R.J., see M.I. Bartashevich 61
Radwański, R.J., see J.H.P. Colpa 167
Reisser, R. and H. Kronmüller, High coercivity quasicrystals 90
Ressouche, E., see P.A. Kotsanidis 135
Ressouche, E., see K. Tomala 345
Rezlescu, E., see N. Rezlescu 273
Rezlescu, N., E. Rezlescu, C. Pasnicu, M.L. Craus, Annealing effect on magnetic properties of the $Li_2O–B_2O_3–Fe_2O_3$ system 273
Rivas, J., see J. Castro 311
Rodic, D., see A. Bajorek 363
Rodríguez-Alba, R., see J.L. Morán-López 417
Roudaut, E., see P.A. Kotsanidis 139

Sanchez, J.P., see O. Isnard 83
Sanchez, J.P., see K. Tomala 345
Sánchez, M.C., see C. Morón 356
Sánchez, P., see C. Morón 356
Sapozhnikov, M.V., see G.M. Genkin 369
Sarantsev, A.Ya., see N.P. Kolmakova 253
Schmool, D.S., J.S.S. Whiting, A. Chambers, E.A. Wilinska, Structural and spin wave resonance studies of polycrystalline and epitaxial permalloy–chromium layered structures 385
Schönhense, G., see M. Getzlaff 304
Shoji, H., see M. Takahashi 67
Soga, N., see K. Tanaka 120
Spasojevic, V., see A. Bajorek 363
Squire, P.T., see D. Atkinson 19
Sun, X.K., see W. Liu 413
Szpunar, J.A., see C.-Z. Li 427
Szytuła, A., see A. Gil 217

Takahashi, M., H. Shoji, Y. Hozumi, T. Wakiyama, Giant magnetic Kerr rotation for Pt substituted MnSb compound films with NiAs type structure 67
Takano, O., see H. Matsuda 440
Tanaka, K., Y. Nakahara, K. Hirao, N. Soga, Structure and magnetic properties of a rapidly quenched Zn–Fe–O system 120
Taranichev, V.E., M.N. Alenov, O.Yu. Nemova, Magnetization of amorphous alloys by elastic strain 229
Tejedor, M., J.A. García, J. Carrizo, Torque measurements in low-magnetostriction $Co_{70}(Si + B)_{23}Mn_5(Fe + Mo)_2$ amorphous ribbons 329
Tokman, I.D., see G.M. Genkin 369
Tomala, K., J.P. Sanchez, B. Malaman, G. Venturini, A. Blaise, R. Kmiec, E. Ressouche, Magnetic properties of $ErPd_2Si_2$ from magnetization Mössbauer and neutron diffraction measurements 345
Toy, M., see G.A. Jones 29
Tucker, J.W., see H. Lu 285
Turner, C.E., see G.A. Jones 29

Uchiyama, S., see G.Q. Di 242

Venturini, G., see K. Tomala 345
Visnovsky, S., M. Nyvlt, V. Prosser, J. Ferré, V. Grolier, P. Beauvillain, S. Ould-Mahfoud, Magneto-optical spectra of ultrathin Au/M/Co/Au films (M = Au, Cu, Ag) 37
Visotsky, S.L., see Yu.A. Filimonov 235
Voiron, J., see M. Amara 402
Vulliet, P., see O. Isnard 83

Wagner, D., see Th. Jechalik 107
Wakiyama, T., see M. Takahashi 67
Waldron, J.T., see Coffey, W.T. L301
Wang, J.-P. and H.-L. Luo, Preparation and properties of pure nanocomposite Fe–SiO_2 using the sol–gel method 54
Wang, Q., see W. Liu 413
Whiting, J.S.S., see D.S. Schmool 385
Wickstead, A.W., see Coffey, W.T. L301
Wilinska, E.A., see D.S. Schmool 385
Woolley, J.C., S. Bass, A.-M. Lamarche, G. Lamarche, Magnetic susceptibility and exchange interaction parameters for some $Mn.III_2.VI_4$ compounds 199
Wrzeciono, A., see J.J. Bara 333

Yakinthos, J.K., see P.A. Kotsanidis 135
Yakinthos, J.K., see P.A. Kotsanidis 139
Yang, X.B., see J. Zhang 278

Zhang, J., X.B. Yang, H. Ninomiya, H. Hoffmann, Thickness dependence of soft magnetic properties of Fe–Si(–N) alloy films 278
Zhang, Z.-d., see W. Liu 413
Zhao, T., see W. Liu 413
Zhao, X.-g., see W. Liu 413
Zygmunt, A., see A. Gil 217

ELSEVIER

Journal of Magnetism and Magnetic Materials 131 (1994) 453–454

journal of magnetism and magnetic materials

Subject index to volume 131

Aftereffect 311
Amorphous systems 19, 120, 129, 183, 229, 329, 333, 356
–alloys L297
Anisotropy 99, 285, 369
–in amorphous systems 129, 183, 329
–in thin films 427
–induced 356
–magnetocrystalline 29, 61, 148, 157, 247, L301
Antiferromagnetic coupling L297
Antiferromagnetism 107, 139, 199, 339, 402
Antiferromagnets 369

Band structure 321

Coercivity 90, 273, 413, 427, 440
Crystal fields 83, 167, 173, 179, 253, 345
Crystallization 129
Curie temperatures 76, 157, 329, 417

Density of states 321
Domain
–motion 29
–structure 29, L301, 356, 385

Effective-field theory 43, 173, 179
Electric resistivity 189, 224
Electronic structures 321
Exchange 304
–anisotropic 253
–indirect 363
–interlayer 235, 369
–RKKY 210

Faraday effect 37
Ferrites 29, 103, 120, 189, 273, 311
Ferromagnetic resonance 369
Ferromagnetism L14, 173, L301, 339
Ferromagnets L9, 369
Fine particles 54, 285, L301
First-order magnetic transitions 402
Flux
–density L1

Garnets 253
Ground-state properties 417
Ground states 107, 321

Heisenberg model 417
Heusler alloys 417
High magnetic field L297
Hyperfine fields 333
Hysteresis loops L1, 19, 37, 67, 90, 103, 183, 278, 285

Information storage
–magnetic recording media 278
–magneto-optic recording media 37, 67
Intermetallic compounds 199
Ising model 43

Kerr effect 37, 67
Kerr rotation 242
Kubo formalism L14

Laves phase compounds 224
Light transmittance L9
Low-dimensional systems 99

Magnetic coupling 417
–interlayer 385
Magnetic dichroism 253
Magnetic moments 135, 265, 304, 440
–calculated 107
Magnetic phase diagrams 173, 179, 402
Magnetic recording media 440
Magnetic structure 135, 139, 217, 402
Magnetization 120, 427
–field dependent L297
–high-field 61
–processes 29, 76, 157, 229, 285
–saturation 54, 129, 148, 265, 333
–temperature dependent 54, 76, 157, 217, 273, 339
Magnetoelastics 19, 229
Magnetoresistance L14
Magnetostriction 148, 229, 329, 356, 427
Magnons L9

Mean-field approximation 43, 199
Mechanical alloying 413
Micromagnetism 285
Microstructure 90, 242, 413, 440
Molecular-field theory 167
Mössbauer spectroscopy 19, 54, 83, 189, 333, 345

Nanometric crystals 183
Néel temperatures 417
Neutron diffraction 135, 139, 167, 217, 345

Paramagnetism 321, 345
Permanent magnets 76, 413
Phase transitions
–magnetic 107, 339, 417
Phonons L9
Polarization
–electric 103

Quasicrystals
–magnetic properties 90

Rapid quenching 120, 273
–melt-spun 90
Rare earth–transition metal compounds L5, 61, 148, 157, 167, 224, 247
–interstitial hydrides 83
–interstitial nitrides 76, 413
Rare earths 265
–compounds 135, 139, 217, 253, 345, 402
Relaxation L301, 311

Semiconductors 199
Semimagnetic semiconductors 363
Soft magnetic materials 278
Spin cluster 43
Spin fluctuations 107, 224
Spin glass 199
Spin polarization 321
Spin reorientations L5, 247

0304-8853/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Spin-resolved photoelectron spectroscopy 304
Spin waves
–resonance 235, 385
Stress effect 229, 339, 356
Structure factors 99
Superconductors
–high T_c L1
Superlattices 210
Susceptibility L5, 139, 199, 217, 311, 345, 363
–ac 247
Susceptibility-tensor method L5
Texture 427
Thin films 67, 242, 278, 304, 339, 427, 440
–multilayer L14, 37, 210, 235, 265, 385
–trilayers 369
Tricritical behavior 179